

Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II



CAUTION (See back panel for additional Precautionary Statements)

NET CONTENTS 16 FL. OZ. LBL5163F-1 0815

 The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.



Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II

Easy-To-Mix Liquid Concentrate

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling.

- If in eyes:

 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number: 1-800-858-7378.

Environmental Hazards

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters

or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Distributed By:

Safer®, Inc., a wholly owned subsidiary of Woodstream Corporation

₩woodstream

69 North Locust Street Lititz, PA 17543 1-800-800-1819 for information

EPA Reg. No. 70051-106-42697 EPA Est. No. 63416-MN-001 LBL5163B-2

LBL5163B-2 0316

FOR ORGANIC GARDENING Net Contents: 16 Fl. Oz.

PULL HERE TO OPEN / PRESS TO RESEAL

Safer® Brand Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II is an easy to mix liquid concentrate. Properties include:

Kills worms and cateroillar stage insects, but has no effect on birds, earthworms, or beneficial insects, such as honeybees and ladybugs, when used as directed.

Worms and caterpillars eat treated foliage then immediately stop feeding and

Acceptable for use on edible plants up to the day of harvest.

DIRECTIONS FOR LISE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply Safer® Brand Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II when worms or caterpillars are first noticed, then repeat at five (5) to seven (7) day intervals while they are active. Apply more frequently to control heavy infestations. Apply thoroughly to top and bottom of foliage. Reapply after heavy rains.

Safer® Brand Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II must be eaten by worms or caterpillars to be effective. After ingesting the insecticide, they immediately stop feeding, though they may otherwise appear to be unaffected for several days. Best results are obtained by treatments when worms are small: they must be actively feeding on treated, exposed foliage.

Safer® Brand Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II can be

applied with a hand sprayer or a hose-end sprayer following manufacturer's directions. You may apply Safer® Brand Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II up to and on the day of harvest.

How to Mix and Apply: Always shake or stir Safer® Brand Caterpillar Killer for Trees, Shrubs & Vegetables Concentrate II thoroughly before use. Partially fill sprayer with water before adding the application rate amount of product, then mix in product thoroughly and add remaining amount of water.

Spray leaf surfaces thoroughly, top and bottom, for complete control. Agitate regularly while spraying. Use all of spray mixture within 24 hours.

Fruits and Vegetables: Mix 2.0 fluid ounces per 3 gallons water (4 teaspoons per gallon) for a hand sprayer and apply to all plant foliage to cover an area of 1000

Apply at first sign of infestation and repeat at weekly intervals when needed to

maintain control of the following insects: Cabbage Looper on broccoli, caulifower, collards, kale, mustard greens, tumip greens, cabbage, celery, lettuce, melons, and tomatoes.

Imported Cabbage Worm on broccoli, cabbage, cauliflower, collards, kale mustard greens, and turnip greens

Tomato Hornworm on tomatoes

Shade Trees & Ornamentals: Mix 2 fluid ounces per 3 gallons of water (4 teaspoons per gallon) for a hand sprayer or proportional amounts for a hose-end sprayer following manufacturer's directions. Apply at first sign of infestation and repeat at weekly intervals when needed to maintain control. Apply to thoroughly cover all foliage surfaces, top and bottom, of shade trees and ornamentals for

control of the following leaf-feeding worms:
Bagworm Spring Cankerworm
Tent Caterpillar Elm Spanworm Fall Cankerworm Fall Webworm

* Apply when buds swell, but before leaves are fully open. If eggs hatch over a long period of time or if reinfestation occurs, spray about 14 days after first application.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool place. Activity may be impaired by storage at temperatures above 90°F.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain

Safer, Inc. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OF MERCHANTABILITY IS MADE.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling.

FIRST AD

If in eyes: 1 Hidd eye geen and mater after handling.

FIRST AD

If in eyes: 1 Hidd eye geen and rinse slowly and perfly with water for 15-20 minutes.

**Remove contact lenses, if present, dark her first 5 minutes, then continue rinsing eye.

• Call a giolan control content or doctor for treatment advice.

Here the product container or label with you when calling a poison control center or doctor, and the calling a poison control center or doctor, and the calling a poison control center or doctor, and the calling a poison control center or doctor, or going item treatment. Het Line Number: 1-600-4567-7378.

not reasonate. No List Houtiest -19-00-555/13/0.

Thrivinomental Research or allow pesticide to enter or no off into storm drains, drainage ditches, gutlers or sorbace waters. Auphigh this product in cain weather when rain is not predicted for the next 24 hours will help to essure that wind or rain does not believe to the statement of the treatment area. Repliest application or or the treatment of the treatment area. Repliest application or off to water bodies or drainage systems.

Distributed By: Safer®, Inc., a wholly owned subsidiary of Woodstream Corporation

₩woodstream

69 North Locust Street Lititz, PA 17543 1-800-800-1819 for information

EPA Reg. No. 70051-106-42697 EPA Est. No. 63416-MN-001
BLS1638-2 0316
FOR ORGANIC GARDENING
Net Contents: 16 Fl. 0z.

